

# SRFI Nonfree Libraries and Documentation

Version 8.1

May 4, 2021

The Scheme Requests for Implementation (a.k.a. *SRFI*) process allows individual members of the Scheme community to propose libraries and extensions to be supported by multiple Scheme implementations.

Racket is distributed with implementations of many SRFIs, most of which can be implemented as libraries. To import the bindings of SRFI *n*, use

```
(require srfi/n)
```

This document lists the SRFIs that are supported by Racket and provides a link to the original SRFI specification (which is also distributed as part of Racket's documentation).

The following SRFI specification documents are licensed restrictively.

## **Contents**

<b>SRFI 5: A compatible let form with signatures and rest arguments</b>	<b>3</b>
<b>SRFI 29: Localization</b>	<b>4</b>
<b>Index</b>	<b>5</b>
<b>Index</b>	<b>5</b>

## **SRFI 5: A compatible let form with signatures and rest arguments**

```
(require srfi/5)      package: srfi-lib
```

Original specification: [SRFI 5](#)

Racket provides a free implementation of this SRFI in the [srfi-lib](#) package. Only the SRFI specification document is nonfree.

## SRFI 29: Localization

```
(require srfi/29)      package: srfi-lite-lib
```

Original specification: SRFI 29

Racket provides a free implementation of this SRFI in the [srfi-lib](#) package. Only the SRFI specification document is nonfree.

## Index

[current-country](#), 4  
[current-language](#), 4  
[current-locale-details](#), 4  
[declare-bundle!](#), 4  
let, 3  
[load-bundle!](#), 4  
[localized-template](#), 4  
*SRFI*, 1  
SRFI 29: Localization, 4  
SRFI 5: A compatible let form with signatures and rest arguments, 3  
SRFI Nonfree Libraries and Documentation,  
1  
[srfi/29](#), 4  
[srfi/5](#), 3  
[store-bundle](#), 4